



(19)

(11) Publication number: **2000245826 A**

Generated Document.

**PATENT ABSTRACTS OF JAPAN**

(21) Application number: **11051100**

(51) Intl. Cl.: **A61M 1/14 A61M 1/28 B65D 30/22 B65D 81/32**

(22) Application date: **26.02.99**

(30) Priority:	
(43) Date of application publication:	<b>12.09.00</b>
(84) Designated contracting states:	
(71) Applicant: <b>JMS CO LTD</b>	
(72) Inventor: <b>YAMAMOTO TAKASHI IWAMI TETSUSHI SORASAKI MIDORI</b>	
(74) Representative:	

**(54) NEUTRAL  
PERITONEAL DIALYSATE**

(57) Abstract:

**PROBLEM TO BE SOLVED:** To reduce the decomposition of glucose and prepare easily a drug solution by including a plurality of kinds of inorganic salts such as glucose, a calcium salt, a magnesium salt or the like in an acid concentrated solution, and including a blood alkalizing agent and a trace amount of a pH regulator in an alkaline concentrated

solution.

**SOLUTION:** A peritoneal dialysate container 1 is made up of two partitioned chambers of an acid concentrated solution container 2 and an alkaline concentrated solution container 3, and these partitioned chambers are kept shut down before used. However, prior to use, by opening a communication route 4, they are connected and liquids are mixed, thereby preventing the decomposition of glucose, and preventing the generation of insoluble salts of calcium or magnesium. On this occasion, a plurality of kinds of inorganic salts apt to produce sedimentations in the glucose or an alkaline area is contained in the acid concentrated solution, and a blood alkalization agent and a trace amount of a pH regulator are contained in the alkaline concentrated solution. The blood alkalization agent to be used is an inorganic acid salts such as sodium lactate or the like.

COPYRIGHT: (C)2000,JPO

